

描述 / Descriptions

GEJ


特征 / Features

$\tau$      $H_j$


用途 / Applications

。

内部等效电路 / Equivalent Circuit



引脚排列 / Pinning







放大及印章代码 /  $h_{FE}$  Classifications & Marking

|  |   |   |   |
|--|---|---|---|
|  |   |   | μ |
|  |   |   |   |
|  |   |   |   |
|  |   |   |   |
|  |   | × |   |
|  |   |   |   |
|  | θ |   |   |
|  |   |   |   |
|  |   | ~ |   |


|  |     |   |  |   |  |   |
|--|-----|---|--|---|--|---|
|  |     |   |  | ε |  | μ |
|  |     |   |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  |     | ℃ |  |   |  |   |
|  | ( ) | ℃ |  |   |  | μ |
|  |     | ℃ |  |   |  |   |
|  |     |   |  |   |  |   |

电参数曲线图 / Electrical Characteristic Curve




## 外形尺寸图 / Package Dimensions

## GBJ



印章说明 / Marking Instructions



+ DF -

+ DF -      Piq fxqcwirq

$\pm$  $\pm$ 

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

**6 6**